ELSEVIER

Journal of the Neurological Sciences 142 (1996) 162–164

JOURNAL OF THE
NEUROLOGICAL
SCIENCES

Author Index (Vol. 142)

Abe, T., see Iwanaga, R. (142) 79
Akiyama, H., see Iseki, E. (142) 25
Ando, M., see Murakami, T. (142) 111
Angelini, C., Fanin, M., Freda, M.P., Martinello, F., Miorin, M., Melacini, P., Siciliano, G., Pegoraro, E., Rosa, M. and Danieli, G.A.
Prognostic factors in mild dystrophinopathies (142) 70
Anwar Chand, M., see Blaauwgeers, H.G.T. (142) 39
Arakawa, K., Kira, J. and Kobayashi, T.
Central nervous system involvement in amyloid A type amyloidosis (142) 157

Bakshi, R.
Fluoxetine and restless legs syndrome (142) 151
Barbieri, F., see Perretti, A. (142) 45
Blaauwgeers, H.G.T., Anwar Chand, M., Van den Berg, F.M., Vianney de Jong, J.M.B. and Troost, D.
Expression of different metallothionein messenger ribonucleic acids in motor cortex, spinal cord and liver from patients with amyotrophic lateral sclerosis (142) 39
Bobet, J., see Sapp, J.L. (142) 17
Brown, P., see Scrimgeour, E.M. (142) 148
Busse, O., see Faig, J. (142) 85

Calabrese, O., see Filla, A. (142) 140
Campanella, G., see Filla, A. (142) 140
Carpenter, S., see Stewart, J.D. (142) 59
Caruso, G., see Perretti, A. (142) 45
Castaldo, I., see Filla, A. (142) 140
Chand, P.R., see Scrimgeour, E.M. (142) 148
Cocozza, S., see Filla, A. (142) 140
Cocozza, S., see Perretti, A. (142) 45
Coelho, M., see Lancman, M.E. (142) 54
Cruz, M., see Del Brutto, O.H. (142) 1

Danieli, G.A., see Angelini, C. (142) 70
Dehaene, I., see Monsieurs, K.G. (142) 36
De Joanna, G., see Filla, A. (142) 140
Del Brutto, O.H., Wadia, N.H., Dumas, M., Cruz, M., Tsang, V.C.W. and Schantz, P.M.
Proposal of diagnostic criteria for human cysticercosis and neurocysticercosis (142) 1
De Michele, G., see Filla, A. (142) 140
De Michele, G., see Perretti, A. (142) 45
Dick, M.B., see McCleary, R. (142) 93
Dinner, D., see Lancman, M.E. (142) 54
Dumas, M., see Del Brutto, O.H. (142) 1
Durcan, L., see Stewart, J.D. (142) 59

Eymard, B., see Plassart, E. (142) 126

Faig, J. and Busse, O.
Silent period evoked by transcranial magnetic stimulation in unilateral thalamic infarcts (142) 85
Fanin, M., see Angelini, C. (142) 70
Fardeau, M., see Plassart, E. (142) 126
Fazekas, F., Kapeller, P., Schmidt, R., Offenbacher, H., Payer, F. and Fazekas, G.
The relation of cerebral magnetic resonance signal hyperintensities to Alzheimer's disease (142) 121
Fazekas, G., see Fazekas, F. (142) 121
Filla, A., De Michele, G., Campanella, G., Perretti, A., Santoro, L., Serlenga, L., Ragno, M., Calabrese, O., Castaldo, I., De Joanna, G. and Cocozza, S.
Autosomal dominant cerebellar ataxia type I. Clinical and molecular study in 36 Italian families including a comparison between SCA1 and SCA2 phenotypes (142) 140
Filla, A., see Perretti, A. (142) 45
Fontaine, B., see Plassart, E. (142) 126
Freda, M.P., see Angelini, C. (142) 70
Fujihara, K., Itoyama, Y., Yu, F., Kubo, C. and Goto, I.
Antibody-dependent cell-mediated cytotoxicity (ADCC) in HTLV-I associated myelopathy/tropical spastic paraparesis (HAM/TSP) (142) 65
Furutama, D., see Nakajima, H. (142) 12

Goto, I., see Fujihara, K. (142) 65

Hara, M., see Oishi, M. (142) 30
Hauw, J.J., see Plassart, E. (142) 126
Heytens, L.G., see Monsieurs, K.G. (142) 36
Howlett, S.E., see Sapp, J.L. (142) 17

Ikeda, K., see Iseki, E. (142) 25
Iseki, E., Odawara, T., Li, F., Kosaka, K., Nishimura, T., Akiyama, H. and Ikeda, K.
Age-related ubiquitin-positive granular structures in non-demented subjects and neurodegenerative disorders (142) 25
Ishikawa, M., Namiki, J., Takase, M., Ohira, T., Nakamura, A. and Toya, S.
Effect of repetitive stimulation on lateral spreads and F-waves in hemifacial spasm (142) 99
Isogai, E., see Yukitake, M. (142) 160
Itoyama, Y., see Fujihara, K. (142) 65
Iwanaga, R., Matsuishi, T., Ohnishi, A., Nakashima, M., Abe, T., Ohtaki, E., Kojima, K., Nagamitsu, S., Ohbu, K. and Kato, H.
Serial magnetic resonance images in a patient with congenital sensory neuropathy with anhidrosis and complications resembling heat stroke (142) 79
Iwashita, H., see Matsuishi, T. (142) 107

Jeffery, D.R.
Chronic progressive myelopathy: diagnostic analysis of cases with and without sensory involvement (142) 153

Kaneko, S., see Matsuishi, T. (142) 107
Kano, T., see Matsuishi, T. (142) 107
Kapeller, P., see Fazekas, F. (142) 121
Karpati, G., see Stewart, J.D. (142) 59
Kato, H., see Iwanaga, R. (142) 79

Kato, H., see Matsuishi, T. (142) 107
Kenny, K., see Scrimgeour, E.M. (142) 148
Kimura, F., see Nakajima, H. (142) 12
Kimura, K., see Yukitake, M. (142) 160
Kira, J., see Arakawa, K. (142) 157
Kleinschmidt-DeMasters, B.K., see Newell, K.L. (142) 134
Kobayashi, T., see Arakawa, K. (142) 157
Kojima, K., see Iwanaga, R. (142) 79
Kosaka, K., see Iseki, E. (142) 25
Kubo, C., see Fujihara, K. (142) 65
Kumamoto, T., see Murakami, T. (142) 111
Kuroda, Y., see Yukitake, M. (142) 160
Kurohara, K., see Yukitake, M. (142) 160

Lancman, M.E., O'Donovan, C., Dinner, D., Coelho, M. and Lüders, H.O.
Usefulness of prolonged video-EEG monitoring in the elderly (142) 54
Lanzillo, B., see Perretti, A. (142) 45
Li, F., see Iseki, E. (142) 25
Link, H., see Xiao, B.-G. (142) 114
Lüders, H.O., see Lancman, M.E. (142) 54
Lyon-Caen, O., see Plassart, E. (142) 126

Ma, C.-G., see Xiao, B.-G. (142) 114
Maeda, H., see Murakami, T. (142) 111
Martin, J.-J., see Monsieurs, K.G. (142) 36
Martinello, F., see Angelini, C. (142) 70
Martino, G., see Perretti, A. (142) 45
Matsui, M., see Yukitake, M. (142) 160
Matsui, Y., see Yukitake, M. (142) 160
Matsuishi, T., Sakai, T., Nagamitsu, S., Shoji, H., Ueda, N., Kaneko, S., Kano, T., Iwashita, H. and Kato, H.
Decreased cerebrospinal fluid levels of substance P in Machado-Joseph disease (142) 107
Matsuishi, T., see Iwanaga, R. (142) 79
Maurs, L., see Plassart, E. (142) 126
McCleary, R., Shankle, W.R., Mulnard, R.A. and Dick, M.B.
Ishihara test performance and dementia (142) 93
McKelvey, R., see Stewart, J.D. (142) 59
Melacini, P., see Angelini, C. (142) 70
Miorin, M., see Angelini, C. (142) 70
Mita, S., see Murakami, T. (142) 111
Miwa, C., see Ueki, A. (142) 7
Miyoshi, K., see Ueki, A. (142) 7
Mochizuki, Y., see Oishi, M. (142) 30
Monsieurs, K.G., Van Broeckhoven, C., Martin, J.-J., Dehaene, I. and Heytens, L.G.
Malignant hyperthermia susceptibility in a patient with concomitant motor neuron disease (142) 36
Mulnard, R.A., see McCleary, R. (142) 93
Murakami, T., Mita, S., Tokunaga, M., Maeda, H., Ueyama, H., Kumamoto, T., Uchino, M. and Ando, M.
Hereditary cerebellar ataxia with Leber's hereditary optic neuropathy mitochondrial DNA 11778 mutation (142) 111

Nagamitsu, S., see Iwanaga, R. (142) 79
Nagamitsu, S., see Matsuishi, T. (142) 107
Nakagawa, T., see Nakajima, H. (142) 12
Nakajima, H., Kimura, F., Nakagawa, T., Furutama, D., Shinoda, K., Shimizu, A. and Ohsawa, N.
Transcriptional activation by the androgen receptor in X-linked spinal and bulbar muscular atrophy (142) 12
Nakamura, A., see Ishikawa, M. (142) 99
Nakashima, M., see Iwanaga, R. (142) 79
Namiki, J., see Ishikawa, M. (142) 99
Newell, K.L. and Kleinschmidt-DeMasters, B.K.
Central pontine myelinolysis at autopsy; a twelve year retrospective analysis (142) 134
Nishimura, T., see Iseki, E. (142) 25

Odawara, T., see Iseki, E. (142) 25
O'Donovan, C., see Lancman, M.E. (142) 54
Offenbacher, H., see Fazekas, F. (142) 121
Ohbu, K., see Iwanaga, R. (142) 79
Ohira, T., see Ishikawa, M. (142) 99
Ohnishi, A., see Iwanaga, R. (142) 79
Ohsawa, N., see Nakajima, H. (142) 12
Ohtaki, E., see Iwanaga, R. (142) 79
Oishi, M., Mochizuki, Y., Hara, M. and Takasu, T.
Central motor conduction time in patients with periventricular lucencies (142) 30
Oohara, K., see Ueki, A. (142) 7
Oono, S., see Yukitake, M. (142) 160

Payer, F., see Fazekas, F. (142) 121
Pegoraro, E., see Angelini, C. (142) 70
Perretti, A., Santoro, L., Lanzillo, B., Filla, A., De Michele, G., Barbieri, F., Martino, G., Ragno, M., Cocozza, S. and Caruso, G.
Autosomal dominant cerebellar ataxia type I: multimodal electrophysiological study and comparison between SCA1 and SCA2 patients (142) 45
Perretti, A., see Filla, A. (142) 140
Plassart, E., Eymard, B., Maurs, L., Hauw, J.J., Lyon-Caen, O., Fardeau, M. and Fontaine, B.
Paramyotonia congenita: genotype to phenotype correlations in two families and report of a new mutation in the sodium channel gene (142) 126

Ragno, M., see Filla, A. (142) 140
Ragno, M., see Perretti, A. (142) 45
Rosa, M., see Angelini, C. (142) 70

Sakai, T., see Matsuishi, T. (142) 107
Santoro, L., see Filla, A. (142) 140
Santoro, L., see Perretti, A. (142) 45
Sapp, J.L., Bobet, J. and Howlett, S.E.
Contractile properties of myocardium are altered in dystrophin-deficient *mdx* mice (142) 17
Schantz, P.M., see Del Brutto, O.H. (142) 1
Schmidt, R., see Fazekas, F. (142) 121
Scrimgeour, E.M., Chand, P.R., Kenny, K. and Brown, P.
Creutzfeldt-Jakob disease in Oman: report of two cases (142) 148
Serlenga, L., see Filla, A. (142) 140
Shankle, W.R., see McCleary, R. (142) 93
Shimizu, A., see Nakajima, H. (142) 12
Shinoda, K., see Nakajima, H. (142) 12
Shoji, H., see Matsuishi, T. (142) 107
Siciliano, G., see Angelini, C. (142) 70
Stewart, J.D., McKelvey, R., Durcan, L., Carpenter, S. and Karpati, G.
Chronic inflammatory demyelinating polyneuropathy (CIDP) in diabetics (142) 59

Takase, M., see Ishikawa, M. (142) 99
Takasu, T., see Oishi, M. (142) 30
Tokunaga, M., see Murakami, T. (142) 111
Toya, S., see Ishikawa, M. (142) 99
Troost, D., see Blaauwgeers, H.G.T. (142) 39
Tsang, V.C.W., see Del Brutto, O.H. (142) 1

Uchino, M., see Murakami, T. (142) 111
Ueda, N., see Matsuishi, T. (142) 107

Ueki, A., Miwa, C., Oohara, K. and Miyoshi, K.
Histological evidence for cholinergic alteration in the hippocampus following entorhinal cortex lesion (142) 7
Ueyama, H., see Murakami, T. (142) 111

Van Broeckhoven, C., see Monsieurs, K.G. (142) 36
Van den Berg, F.M., see Blaauwgeers, H.G.T. (142) 39
Vianney de Jong, J.M.B., see Blaauwgeers, H.G.T. (142) 39

Wadia, N.H., see Del Brutto, O.H. (142) 1

Xiao, B.-G., Zhang, G.-X., Ma, C.-G. and Link, H.
The cerebrospinal fluid from patients with multiple sclerosis promotes neuronal and oligodendrocyte damage by delayed production of nitric oxide in vitro (142) 114

Yasuda, A., see Yukitake, M. (142) 160
Yu, F., see Fujihara, K. (142) 65
Yukitake, M., Kuroda, Y., Kurohara, K., Matsui, M., Yasuda, A., Matsui, Y., Oono, S., Kimura, K. and Isogai, E.
Occurrence of *Borrelia garinii* oculo-neuroborreliosis in Japan (142) 160

Zhang, G.-X., see Xiao, B.-G. (142) 114

ELSEVIER

Journal of the Neurological Sciences 142 (1996) 165–166

JOURNAL OF THE
NEUROLOGICAL
SCIENCES

Subject Index (Vol. 142)

Acetazolamide, (142) 30
Acetylcholinesterase-positive fiber, (142) 7
ADCC, (142) 65
Alzheimer's disease, (142) 7, 93, 121
Alzheimer-type dementia, (142) 25
Amyloidosis, (142) 157
Amyotrophic lateral sclerosis, (142) 39
Androgen receptor gene, (142) 12
Anhidrosis, (142) 79
Anticipation, (142) 140
Asymptomatic, (142) 134
Autopsy, (142) 134
Autosomal dominant cerebellar ataxia, (142) 140

Becker muscular dystrophy, (142) 70
Borrelia garinii, (142) 160
Brain atrophy, (142) 121

CAG repeat, (142) 12
Cardiac muscle, (142) 17
CAT assay, (142) 12
Central motor conduction time, (142) 30
Cerebral blood flow, (142) 30
Cerebral infarction, (142) 157
Cerebrospinal fluid, (142) 107, 114, 148
Chronic, (142) 153
Chronic inflammatory demyelinating polyneuropathy, (142) 59
Congenital sensory neuropathy, (142) 79
Creutzfeldt-Jakob disease, (142) 148
Cysticercosis, (142) 1
Cytotoxicity, (142) 65

Dementia, (142) 93
Dentate gyrus, (142) 7
Diabetic neuropathy, (142) 59
Diagnosis, (142) 1
Diffuse Lewy body disease, (142) 25
mtDNA mutation, (142) 111
Dominant ataxia, (142) 45
Dystrophin, (142) 17, 70

Ekbom's syndrome, (142) 151
Elderly, (142) 54
Electrophysiology, (142) 99
Entorhinal cortex, (142) 7
Epilepsy, (142) 54
Evoked potential, (142) 153
Evoked potentials, (142) 45

Fluoxetine, (142) 151
Force–interval relation, (142) 17
F-wave, (142) 99

Genotype to phenotype correlation, (142) 126
Glutamine tract, (142) 12

HAM, (142) 65
Hand muscle reflexes, (142) 85
Heat stroke, (142) 79
Hemifacial spasm, (142) 99
Hereditary cerebellar ataxia, (142) 111
Hippocampal CA3 field, (142) 7
Host defense, (142) 65
HTLV-I, (142) 65
Hyperkalemic periodic paralysis, (142) 126

Ibotenic acid, (142) 7
Immune surveillance, (142) 65
Immunoelectron microscopy, (142) 25
Immunohistochemistry, (142) 25
Incidence, (142) 134
In vitro contracture test, (142) 36
Ishihara test, (142) 93

Lateral spread, (142) 99
Leber's hereditary optic neuropathy, (142) 111
Lyme disease, (142) 160

Machado-Joseph disease, (142) 107
Magnetic cortical stimulation, (142) 45
Magnetic resonance imaging, (142) 121, 153
Magnetic stimulation, (142) 30, 85
Malignant hyperthermia, (142) 36
mdx mouse, (142) 17
Messenger ribonucleic acid, (142) 39
Metallothionein, (142) 39
Monitoring, (142) 54
Motor neuron disease, (142) 36
MRI, (142) 79, 140
Multiple sclerosis, (142) 114, 153
Muscular dystrophy, (142) 17
Mutation, (142) 36, 126
Myelinolysis, (142) 134
Myelopathy, (142) 153

Nerve conduction, (142) 45
Neurocysticercosis, (142) 1
Neuron, (142) 114
NG108-15 cells, (142) 12
Nitric oxide, (142) 114

Object recognition, (142) 93
Oculo-neuroborreliosis, (142) 160
Oligodendrocyte, (142) 114
Oman-Arab race, (142) 148
Osmotic, (142) 134

Paramyotonia congenita, (142) 126
Periventricular hyperintensity, (142) 121
Periventricular lucencies, (142) 30

Polymerase chain reaction, (142) 39
Pons, (142) 134
Prognosis, (142) 70
Progressive, (142) 153

Repetitive stimulation, (142) 99
Restless legs syndrome, (142) 151
Restlessness, (142) 151
Retrovirus, (142) 65
Ryanodine receptor, (142) 36

SCA1, (142) 140
SCA2, (142) 140
Screening, (142) 93
Seizure, (142) 54
Silent period, (142) 85
Sodium channel, (142) 126
Somatosensory evoked potential, (142) 85
Spinocerebellar degeneration, (142) 45
Substance P, (142) 107

Thalamic ischemic stroke, (142) 85
Transcription factor, (142) 12
TSP, (142) 65

Ubiquitin-positive granular structure, (142) 25

Video-EEG, (142) 54

White matter hyperintensity, (142) 121

Xenon computed tomography, (142) 30
X-linked spinal and bulbar muscular atrophy, (142) 12

Young adult, (142) 157